


Client: _____ Project Name: _____

MODA Contact: _____ E-Mail: _____

SKU: _____ Type: _____ PO#: _____ Quantity: _____

Notes: _____



PHYSICAL

Lengths	6in *SO only (158.70mm) / 1ft (304mm) / 4ft (1.22m) / 8ft (2.44m)
Applications	Cove, Accent & Indirect General Illumination
Construction	6063 Aluminum Body, Polycarbonate Self-Locking Mounting Bracket and Optical Lens
Ingress Protection	Dry/Damp Location IP52
Thermal Management	Moda Aluminum Heat Sink
Fixture Connections	Integral Male & Female Connectors
Operating Temperature	-40°F ~ 122°F (-40°C ~ 50°C)
Storage Temperature	-40°F ~ 176°F (-40°C ~ 80°C)
Humidity	0-95% Non Condensing

SPECIFICATIONS

	Lumens per ft	Efficacy per ft (120V)	Efficacy per ft (277V)
RED SO/HO	168 - 336	34	26
GREEN SO/HO	196 - 395	40	30
BLUE SO/HO	140 - 286	29	22
AMBER SO/HO	234 - 464	47	36
YELLOW SO/HO	215 - 430	43	33
GOLDEN YELLOW SO/HO	509 - 1015	102	78
ICE BLUE SO/HO	429 - 858	86	66
CYAN SO/HO	169 - 338	34	26
LIGHT GREEN SO/HO	490 - 980	98	75
PINK SO/HO	200 - 402	40	31
VIOLET SO/HO	194 - 388	39	30
TURQUOISE SO/HO	168 - 341	34	26
DARK BLUE SO/HO	84 - 168	17	13
DARK ORANGE SO/HO	420 - 840	84	65

OUTPUT

Colors	Red, Green, Blue, Amber, Yellow, Golden Yellow, Ice Blue, Cyan, Light Green, Pink, Violet, Turquoise, Dark Blue, Dark Orange
Beam Angle	200°
Color Bin Tolerance	Single Bin
Lumen Maintenance	90,000 Hours L50 @ 25°C 70,000 Hours L50 @ 50°C
Testing Data	Light Data LM-79-08 & LM-80-08

ELECTRICAL

Input Voltage	100-277V AC 50Hz/60Hz
Control	Electronic Low Voltage Reverse Phase Trailing Edge
Power Factor	≥ 0.98

POWER CONSUMPTION

	120V AC (SO/HO)	277V AC (SO/HO)
6 Inch	2.8W / N/A	4.5W / N/A
1 Foot	5W / 10W	6.5W / 13W
4 Foot	19W / 40W	20W / 52W
8 Foot	38W / 80W	40W / 104W

MAX RUN LENGTHS

	120V AC	277V AC
SO	120 ft	240 ft
HO	50 ft	100 ft

STANDARDS & CERTIFICATIONS



Certification	Tested to UL & CSA by Intertek For Use in USA & CANADA. Exceeds ANSI C78.377-2015, CE, CCC, C-Tick, RoHS, & WEEE Compliant.
Class	1
Warranty	5 Year Limited Warranty

	NAME	SKU
ELV SO 6IN	Moda Mini Cove Interior Standard Output Silver ELV Dimming Red 6IN	MMCI-S-Sx-S-E-R-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Green 6IN	MMCI-S-Sx-S-E-G-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Blue 6IN	MMCI-S-Sx-S-E-B-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Amber 6IN	MMCI-S-Sx-S-E-A-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Yellow 6IN	MMCI-S-Sx-S-E-Y-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Golden Yellow 6IN	MMCI-S-Sx-S-E-GY-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Ice Blue 6IN	MMCI-S-Sx-S-E-IB-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Cyan 6IN	MMCI-S-Sx-S-E-C-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Light Green 6IN	MMCI-S-Sx-S-E-LG-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Pink 6IN	MMCI-S-Sx-S-E-P-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Violet 6IN	MMCI-S-Sx-S-E-V-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Turquoise 6IN	MMCI-S-Sx-S-E-TQ-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Blue 6IN	MMCI-S-Sx-S-E-DB-6
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Orange 6IN	MMCI-S-Sx-S-E-DO-6
ELV SO 1FT	Moda Mini Cove Interior Standard Output Silver ELV Dimming Red 1FT	MMCI-S-Sx-S-E-R-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Green 1FT	MMCI-S-Sx-S-E-G-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Blue 1FT	MMCI-S-Sx-S-E-B-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Amber 1FT	MMCI-S-Sx-S-E-A-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Yellow 1FT	MMCI-S-Sx-S-E-Y-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Golden Yellow 1FT	MMCI-S-Sx-S-E-GY-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Ice Blue 1FT	MMCI-S-Sx-S-E-IB-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Cyan 1FT	MMCI-S-Sx-S-E-C-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Light Green 1FT	MMCI-S-Sx-S-E-LG-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Pink 1FT	MMCI-S-Sx-S-E-P-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Violet 1FT	MMCI-S-Sx-S-E-V-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Turquoise 1FT	MMCI-S-Sx-S-E-TQ-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Blue 1FT	MMCI-S-Sx-S-E-DB-1
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Orange 1FT	MMCI-S-Sx-S-E-DO-1
ELV HO 1FT	Moda Mini Cove Interior High Output Silver ELV Dimming Red 1FT	MMCI-H-Sx-S-E-R-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Green 1FT	MMCI-H-Sx-S-E-G-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Blue 1FT	MMCI-H-Sx-S-E-B-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Amber 1FT	MMCI-H-Sx-S-E-A-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Yellow 1FT	MMCI-H-Sx-S-E-Y-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Golden Yellow 1FT	MMCI-H-Sx-S-E-GY-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Ice Blue 1FT	MMCI-H-Sx-S-E-IB-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Cyan 1FT	MMCI-H-Sx-S-E-C-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Light Green 1FT	MMCI-H-Sx-S-E-LG-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Pink 1FT	MMCI-H-Sx-S-E-P-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Violet 1FT	MMCI-H-Sx-S-E-V-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Turquoise 1FT	MMCI-H-Sx-S-E-TQ-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Dark Blue 1FT	MMCI-H-Sx-S-E-DB-1
	Moda Mini Cove Interior High Output Silver ELV Dimming Dark Orange 1FT	MMCI-H-Sx-S-E-DO-1

	NAME	SKU
ELV SO 4FT	Moda Mini Cove Interior Standard Output Silver ELV Dimming Red 4FT	MMCI-S-Sx-S-E-R-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Green 4FT	MMCI-S-Sx-S-E-G-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Blue 4FT	MMCI-S-Sx-S-E-B-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Amber 4FT	MMCI-S-Sx-S-E-A-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Yellow 4FT	MMCI-S-Sx-S-E-Y-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Golden Yellow 4FT	MMCI-S-Sx-S-E-GY-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Ice Blue 4FT	MMCI-S-Sx-S-E-IB-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Cyan 4FT	MMCI-S-Sx-S-E-C-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Light Green 4FT	MMCI-S-Sx-S-E-LG-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Pink 4FT	MMCI-S-Sx-S-E-P-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Violet 4FT	MMCI-S-Sx-S-E-V-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Turquoise 4FT	MMCI-S-Sx-S-E-TQ-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Blue 4FT	MMCI-S-Sx-S-E-DB-4
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Orange 4FT	MMCI-S-Sx-S-E-DO-4
ELV HO 4FT	Moda Mini Cove Interior High Output Silver ELV Dimming Red 4FT	MMCI-H-Sx-S-E-R-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Green 4FT	MMCI-H-Sx-S-E-G-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Blue 4FT	MMCI-H-Sx-S-E-B-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Amber 4FT	MMCI-H-Sx-S-E-A-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Yellow 4FT	MMCI-H-Sx-S-E-Y-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Golden Yellow 4FT	MMCI-H-Sx-S-E-GY-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Ice Blue 4FT	MMCI-H-Sx-S-E-IB-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Cyan 4FT	MMCI-H-Sx-S-E-C-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Light Green 4FT	MMCI-H-Sx-S-E-LG-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Pink 4FT	MMCI-H-Sx-S-E-P-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Violet 4FT	MMCI-H-Sx-S-E-V-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Turquoise 4FT	MMCI-H-Sx-S-E-TQ-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Dark Blue 4FT	MMCI-H-Sx-S-E-DB-4
	Moda Mini Cove Interior High Output Silver ELV Dimming Dark Orange 4FT	MMCI-H-Sx-S-E-DO-4
ELV SO 8FT	Moda Mini Cove Interior Standard Output Silver ELV Dimming Red 8FT	MMCI-S-Sx-S-E-R-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Green 8FT	MMCI-S-Sx-S-E-G-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Blue 8FT	MMCI-S-Sx-S-E-B-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Amber 8FT	MMCI-S-Sx-S-E-A-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Yellow 8FT	MMCI-S-Sx-S-E-Y-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Golden Yellow 8FT	MMCI-S-Sx-S-E-GY-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Ice Blue 8FT	MMCI-S-Sx-S-E-IB-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Cyan 8FT	MMCI-S-Sx-S-E-C-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Light Green 8FT	MMCI-S-Sx-S-E-LG-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Pink 8FT	MMCI-S-Sx-S-E-P-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Violet 8FT	MMCI-S-Sx-S-E-V-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Turquoise 8FT	MMCI-S-Sx-S-E-TQ-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Blue 8FT	MMCI-S-Sx-S-E-DB-8
	Moda Mini Cove Interior Standard Output Silver ELV Dimming Dark Orange 8FT	MMCI-S-Sx-S-E-DO-8

	NAME	SKU
ELV HO 8FT	Moda Mini Cove Interior High Output Silver ELV Dimming Red 8FT	MMCI-H-Sx-S-E-R-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Green 8FT	MMCI-H-Sx-S-E-G-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Blue 8FT	MMCI-H-Sx-S-E-B-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Amber 8FT	MMCI-H-Sx-S-E-A-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Yellow 8FT	MMCI-H-Sx-S-E-Y-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Golden Yellow 8FT	MMCI-H-Sx-S-E-GY-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Ice Blue 8FT	MMCI-H-Sx-S-E-IB-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Cyan 8FT	MMCI-H-Sx-S-E-C-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Light Green 8FT	MMCI-H-Sx-S-E-LG-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Pink 8FT	MMCI-H-Sx-S-E-P-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Violet 8FT	MMCI-H-Sx-S-E-V-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Turquoise 8FT	MMCI-H-Sx-S-E-TQ-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Dark Blue 8FT	MMCI-H-Sx-S-E-DB-8
	Moda Mini Cove Interior High Output Silver ELV Dimming Dark Orange 8FT	MMCI-H-Sx-S-E-DO-8

ACCESSORIES

NAME	SKU	DESCRIPTION
Leader Cable US 3 Pin 10ft	MLCI-US-3PIN-W-10FT	Power to first fixture of run
Leader Cable US 3 Pin 25ft	MLCI-US-3PIN-W-25FT	Power to first fixture of run
Jumper Cable US 3 Pin 1ft	MJCI-US-3PIN-W-1FT	Connection between fixtures
Jumper Cable US 3 Pin 4ft	MJCI-US-3PIN-W-4FT	Connection between fixtures
Leader Cable EU 3 Pin 3m	MLCI-EU-3PIN-W-3M	Power to first fixture of run
Leader Cable EU 3 Pin 10m	MLCI-EU-3PIN-W-10M	Power to first fixture of run
Jumper Cable EU 3 Pin 300mm	MJCI-EU-3PIN-W-300MM	Connection between fixtures
Jumper Cable EU 3 Pin 1m	MJCI-EU-3PIN-W-1M	Connection between fixtures
Terminator 3 Pin	MTI-3PIN-W	Must be fixed to last fixture for safety
Mounting Track	MMC-20-TRACK-1-S1-G	Allows user to install fixtures in a continuous linear position. Packaged in 5 4ft sections in total of 20ft.

CONTROLS

NAME	SKU	DESCRIPTION
Bridge 1 US	250-0000-01	Allows user to convert a 0-10V dimming signal into an ELV dimming signal. North American Model
Bridge 1 EU	250-0001-01	Allows user to convert a 0-10V dimming signal into an ELV dimming signal. European Model